

1 CLAIMS

2 What is claimed is:

3 1. A portable apparatus for viewing digital content received
4 from a data communication network, the portable apparatus
5 comprising:

6 a non-volatile storage medium capable to store digital
7 content received from a data communication network;

8 a display communicatively coupled to the non-volatile
9 storage medium and capable to display images of the digital
10 content;

11 a processor communicatively coupled to the non-volatile
12 storage medium; and

13 a content browsing engine executable by the processor and
14 capable to select digital content stored in the non-volatile
15 storage medium.

17 2. The portable apparatus of claim 1 wherein the data
18 communications network includes the Internet.

19
20 3. The portable apparatus of claim 1 wherein the digital
21 content includes data relating to any one of a website, an
22 electronic document, a digital photograph, multimedia content,
23 or digital music.

1 4. The portable apparatus of claim 1 wherein the digital
2 content is stored in the non-volatile storage medium as a
3 content bundle.

4
5 5. The portable apparatus of claim 1 wherein the digital
6 content is viewed while the portable apparatus is not connected
7 to the data communication network.

8
9 6. The portable apparatus of claim 1 wherein the digital
10 content was previously downloaded from the data communication
11 network.

12
13 7. The portable apparatus of claim 1 wherein the display
14 provides a maximized client window for the content browsing
15 engine.

16
17 8. The portable apparatus of claim 1 wherein the portable
18 apparatus is communicatively coupled to a host processing device
19 and wherein digital content is downloaded to the non-volatile
20 storage medium in response to print commands issued in the host
21 processing device.

22
23 9. The portable apparatus of claim 1 wherein the portable
24 apparatus is communicatively coupled to a host processing device

1 and wherein the portable apparatus is capable to perform a first
2 operation in response to a command from a first user and the
3 host processing device is capable to perform a second task in
4 response to a command from a second user.

5

6 10. The portable apparatus of claim 1 wherein the processor
7 executes the content browsing engine so that the client window
8 of the content browsing engine remains on display during the
9 operation of the portable apparatus.

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

1 13. An apparatus for receiving data cast transmission,
2 comprising:
3 a base station including a receiver;
4 a portable browser device capable to be coupled to the base
5 station and including a non-volatile storage; and
6 a filtering engine communicatively coupled to the non-
7 volatile storage and capable to store into the non-volatile
8 storage content bundles requested by a user, the content bundles
9 being transmitted from a data cast transmission received by the
10 receiver.

11
12 14. A method of receiving data cast transmission, the method
13 comprising:

14 receiving a data cast transmission including content
15 bundles;

16 filtering the received content bundles so that selected
17 content bundles are stored in a portable non-volatile storage;
18 and

19 viewing at least some of the stored content bundles in a
20 display.

21
22 15. The method of claim 14, further comprising:

1 transmitting a feedback information to a broadcaster of the
2 content bundles in response to receiving the selected content
3 bundles.

4